

**THE NETHERLANDS
(N E D E R L A N D)****COMMUNICATION**

Concerning ⁽¹⁾:


- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of LPG equipment pursuant to Regulation number 67.


Approval number: E4-67R-010238

Extension number: 05

1. LPG equipment considered ⁽¹⁾:
 - ~~Container including the configuration of accessories fitted to the container, as laid down in Appendix 1 to this annex.~~
 - 80% stop valve
 - Level indicator
 - Pressure relief valve (discharge valve)
 - Pressure relief device
 - Remotely controlled service valve with excess flow valve
 - Multi-valve, including the following accessories:
 - Gas tight housing
 - Power supply bushing (pump/actuators)
 - Fuel pump
 - Vaporiser/pressure regulator
 - Shut-off valve
 - Non-return valve
 - Gas tube pressure relief valve
 - Service coupling
 - Flexible hose
 - Remote filling unit
 - Gas injection device or injector
 - Fuel rail
 - Gas dosage unit
 - Gas mixing piece
 - Electronic control unit
 - Pressure/temperature sensor
 - LPG filter unit
 - Multi-component



2. Trade name or mark : LPG Multi valve Kx (K4, MK4)
OMB, FARO, RAIL, RAM, POLMOCON
3. Manufacturer's name and address : OMB Saleri S.p.A.
Via Rose di Sotto 38/C
Brescia
Italy
4. If applicable, name and address of manufacturer's representative :
5. Submitted for approval on : October 2013
6. Technical service responsible for conducting approval tests : Kiwa Nederland B.V.
P.O. Box 137
7300 AC Apeldoorn
The Netherlands
7. Date or report issued by that Service : November 7th 2013
8. Number of report issued by that Service : 124860-126943
9. Approval : ~~granted/refused/extended/withdrawn~~⁽¹⁾
10. Reason(s) of extension (if applicable) : The current homologated multi valve Kx is extended with:
- Additional brass anti-noise washer
- Nickel coating on brass gear pin.
11. Place : Zoetermeer
12. Date : 18-DEC-2013
13. Signature :



14. The documents filed with the application or extension of approval can be obtained upon request.

⁽¹⁾ Strike out what does not apply.

APPENDIX 1
(containers only)

1. Container characteristics from the Parent Container (Configuration 00):

- (a) Trade name or mark :
 (b) Shape :
 (c) Material :
 (d) Openings : see drawing
 (e) Wall thickness : ... mm
 (f) Diameter (cylindrical container) : ... mm
 (g) Height (special container shape) : ... mm
 (h) External surface : ... cm²
 (i) Configuration of accessories fitted to container: see Table 1.

Table 1:

Number	Item	Type	Approval number	Extension number
a	80 % stop valve			
b	Level indicator			
c	Pressure relief valve			
d	Remotely controlled service valve with excess valve			
e	Fuel pump			
f	Multi-valve			
g	Gas-tight housing			
h	Power supply bushing			
i	Non return valve			
j	Pressure relief device			

2. List of the container family:

The lists of the container family indicate the diameter, capacity, external surface and the possible configuration(s) of the accessories fitted to the container.

Table 2:

Number	Type	Diameter/ height (mm)	Capacity (L)	External surface (cm ²)	Configuration of accessories (codes) ⁽¹⁾
01					
02					

⁽¹⁾ Code 00 and, if applicable, same code(s) from Table 3.



3. List of the possible configurations of accessories fitted to the container:

Specify a list of the possible accessories, which differ from the tested configuration of accessories (code 00) and which may be fitted to the type of container. Specify for all accessories, type, approval number and extension number, indicating its own configuration code.

Table 3:

Number	Accessories	Type	Approval number	Extension number	Configuration of accessories (codes) ⁽¹⁾
a					
b					
c					
d					

